L	Hits	Search Text	DB	Time stamp
Number				0004/44/40
-	266	(translat\$3 or convert\$3) near4 (domain adj	USPAT;	2004/11/16
		name or url or subdomain or top adj level adj	US-PGPUB;	11:30
		domain) with (string or number or	EPO; JPO;	
		alphanumeric or character or digit)	IBM_TDB	
-	97	((translat\$3 or convert\$3) near4 (domain adj	USPAT;	2004/11/16
		name or uri or subdomain or top adj level adj	US-PGPUB;	17:13
		domain) with (string or number or	EPO; JPO;	
		alphanumeric or character or digit)) and	IBM_TDB	
		(@ad<19991110 or @prad<19991110)		
-	0	6738827.URPN.	USPAT	2004/11/16
		•		11:35
_	29	("5774660"   "5778231"   "5884246"	USPAT	2004/11/16
		"5911776"   "5961593"   "5966719"		11:35
		"5974371"   "5994790"   "6003049"		
		"6044382"   "6061735"   "6061738"		
		"6101537"   "6119078"   "6130892"		
		"6138159"   "6182148"   "6192415"		
		"6195707"   "6205418"   "6314469"		
		"6321372"   "6324500"   "6347316"		
		"6381567"   "6418402"   "6446133"		
		"6480867"   "6522330"   "2001/0039615"		
		"2002/0013810"   "2002/0093683"		
		· ·		
	0004	"2002/0107684"   "2002/0111788").PN.	USPAT;	2004/11/16
-	2021	(cell or cellular or mobile) adj (phone or	· ·	17:13
		telephone) with access\$3 near4 internet	US-PGPUB;	17:13
			EPO; JPO;	
			IBM_TDB	2004/44/4
-	496	((cell or cellular or mobile) adj (phone or	USPAT;	2004/11/16
		telephone) with access\$3 near4 internet )	US-PGPUB;	17:14
•	•	and enter\$3 with (keypad or numerical or	EPO; JPO;	
		number)	IBM_TDB	
=	45	(((cell or cellular or mobile) adj (phone or	USPAT;	2004/11/17
	_	telephone) with access\$3 near4 internet )	US-PGPUB;	09:07
		and enter\$3 with (keypad or numerical or	EPO; JPO;	
		number)) and (@ad<19991110 or	IBM_TDB	
		@prad<19991110)		
-	805	((cell or cellular or mobile) adj (phone or	USPAT;	2004/11/16
		telephone) with access\$3 near4 internet )	US-PGPUB;	17:15
		and (url or domain adj name or web or	EPO; JPO;	
		internet) with (keypad or numerical or	IBM_TDB	
		number)		
-	78	(((cell or cellular or mobile) adj (phone or	USPAT;	2004/11/16
		telephone) with access\$3 near4 internet )	US-PGPUB;	17:15
		and (url or domain adj name or web or	EPO; JPO;	
		internet) with (keypad or numerical or	IBM_TDB	
		number)) and (@ad<19991110 or	_	
		@prad<19991110)		

	29	((((cell or cellular or mobile) adj (phone or	USPAT:	2004/11/16	
-	25	telephone) with access\$3 near4 internet )	US-PGPUB;	17:15	
		l - ·	EPO; JPO;		
		and enter\$3 with (keypad or numerical or	, ,		
		number)) and (@ad<19991110 or	IBM_TDB		
		@prad<19991110)) and ((((cell or cellular or			
		mobile) adj (phone or telephone) with			
		access\$3 near4 internet ) and (url or domain			
		adj name or web or internet) with (keypad or			
		numerical or number)) and (@ad<19991110			
		or @prad<19991110))			

	L#	Hits	Search Text	DBs
1	L1	60	(cell or cellular or mobile) adj (phone or telephone) with enter\$3 with (url or domain adj name or web near2 address or uniform adj resource adj locator)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	46	(cell or cellular or mobile) adj (phone or telephone) with enter\$3 near5 (url or domain adj name or web near2 address or uniform adj resource adj locator)	
3	L3	1	2 and (@ad<19991110 or @prad<19991110)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	255	(cell or cellular or mobile) adj (phone or telephone) with access\$3 near5 (url or domain adj name or web near2 address or uniform adj resource adj locator or web adj page)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	10	4 and (@ad<19991110 or @prad<19991110)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	632	(cell or cellular or mobile) adj (phone or telephone) and (phone or keypad or telephone) with (enter\$3 or access\$3) near5 (url or domain adj name or web near2 address or uniform adj resource adj locator or web adj page)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L7	56	6 and (@ad<19991110 or @prad<19991110)	USPAT; US-PGPUB; EPO; JPO; IBM_TDE

	L#	Hits	Search Text	DBs	
8	L8	191	(cell or cellular or mobile) adj (phone or telephone) with browser with (url or domain adj name or web near2 address or uniform adj resource adj locator or web adj page)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	
9	L9	5	8 and (@ad<19991110 or @prad<19991110)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	
10	L10	80	(add or adding or added or replac\$3 or replacement) near4 (characters or string or word or letters) near4 (url or domain adj name)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	
11	L11	19	10 and (@ad<19991110 or @prad<19991110)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	